

Variable Level Pump Switch

Single And Double Piggyback Variable Level Switches For Direct Pump Control



Zoeller Pump Company's variable level pump switches can be used to monitor liquids level conditions and activate dewatering, effluent, or sewage applications. The variable level pump switch is a convenient way of converting a non-automatic pump into an automatic pump. The standard pump switch is normally open when hanging vertically above the liquid level. When the water level rises and the switch is raised a few degrees above the horizontal position, the switch closes activating the pump. Normally closed models are also available for pump up applications. The float that encases the mechanical switch is constructed of durable PVC/polypropylene. Cord lengths of 15', 25', 35' and 50' (5, 8, 11 and 15 m) are available.



Features

- For use with non-automatic pumps in dewatering, effluent, and sewage applications
- Single and double piggyback variable level pump switches are available
- Standard mechanical switches rated for 115 or 230 V, various amperages
- Standard switches include 18/2 Type SJOW CPE cord
- Mounting clamp and hardware included



Trusted. Tested. Tough.®

zoellerpumps.com 800-928-7867
3649 Cane Run Road, Louisville, KY 40211 USA

CL0115
0121
Supersedes
0419



Single and double piggyback variable level pump switches. Designed for effluent, sewage and dewatering applications.

Variable Level Pump Switches	
Part Number	Description
10-0032	Mechanical, SPb, 115 V, 15 Amp, 15' cd, NO
10-0033	Mechanical, SPb, 230 V, 15 Amp, 15' cd, NO
10-0034	Mechanical, SPb, 115 V, 13 Amp, 15' cd, NO
10-0035	Mechanical, SPb, 230 V, 13 Amp, 15' cd, NO
10-0037	Mechanical, SPb, 115 V, 13 Amp, 15' cd, NC
10-0055	Mechanical, SPb, 115 V, 13 Amp, 10' cd, NO
10-0062	Mechanical, SPb, 230 V, 13 Amp, 15' cd, NC
10-0063	Mechanical, SPb, 115 V, 13 Amp, 20' cd, NO
10-0064	Mechanical, SPb, 115 V, 15 Amp, 15' cd, NC
10-0065	Mechanical, SPb, 115 V, 13 Amp, 10' cd, NC
10-0229	Mechanical, DPb, 115 V, 15 Amp, 15' cd, NO
10-0230	Mechanical, DPb, 230 V, 12 Amp, 15' cd, NO
10-0559	Mechanical, SPb, 230 V, 15 Amp, 20' cd, NO
10-0705	Mechanical, SPb, 115 V, 15 Amp, 20' cd, NO
10-0706	Mechanical, SPb, 230 V, 13 Amp, 20' cd, NO
10-0748	Mechanical, SPb, 115 V/230 V, 20 Amp, 25' cd, NO
10-1964	Mechanical, DPb, 115 V, 13 Amp, 15' cd, NO
10-1965	Mechanical, DPb, 230 V, 13 Amp, 15' cd, NO
	NO- normally open/ NC-normally closed SPB- single piggyback/ DPB- double piggyback